

# SHREDDER

*For your Security*



**BINDT**ec

### 1. RS-6220A

Entry width (mm)	270
Shred size (mm)	2 x30, 3x30
Sheet capacity (A4,75g)	23~25, 30~32
Bin capacity (L)	75
motor(HP)	1/2



### 2. RS-6330A

Entry width (mm)	301
Shred size (mm)	2 x30, 3x30
Sheet capacity (A4,75g)	23~25, 30~32
Bin capacity (L)	90
motor(HP)	1/2



### 3. RS-6410A

Entry width (mm)	410
Shred size (mm)	2x30, 2x18
Sheet capacity (A4,75g)	18~20, 16~18
Bin capacity (L)	120
motor(HP)	1/2



### 4. RS-7602A

Entry width (mm)	260
Shred size (mm)	4x30
Sheet capacity (A4,75g)	40~42
Bin capacity (L)	80
motor(HP)	1/2



### 5. RS-6220X1

Entry width (mm)	270
Shred size (mm)	2 x30, 3x30
Sheet capacity (A4,75g)	23~25,30~32
Bin capacity (L)	75
motor(HP)	1/2



### 6. RS-6220XH

Entry width (mm)	270
Shred size (mm)	4x30
Sheet capacity (A4,75g)	40~42
Bin capacity (L)	75
motor(HP)	1/2



### 7. RS-6220XFC

Entry width (mm)	270
Shred size (mm)	1.2x10
Sheet capacity (A4,75g)	10~12
Bin capacity (L)	75
motor(HP)	1/2

## 8. RS-6330X1

Entry width (mm)	320
Shred size (mm)	2x30, 3x30
Sheet capacity (A4,75g)	23~25, 30~32
Bin capacity (L)	90
motor(HP)	1/2



## 9. RS-6330XH

Entry width (mm)	320
Shred size (mm)	4x30
Sheet capacity (A4,75g)	40~42
Bin capacity (L)	90
motor(HP)	1/2



## 10. RS-6330XFC

Entry width (mm)	320
Shred size (mm)	1.2 X10
Sheet capacity (A4,75g)	12~12
Bin capacity (L)	90
motor(HP)	1/2



## 11. RS-6382XH

Entry width (mm)	320
Shred size (mm)	4x30
Sheet capacity (A4,75g)	40~42
Bin capacity (L)	120
motor(HP)	1/2



## 12. RS-6220FN

Entry width (mm)	270
Shred size (mm)	2x30, 3x30
Sheet capacity (A4,75g)	23~25, 30~32
Bin capacity (L)	100
motor(HP)	1/2



## 13. RS-6330FN

Entry width (mm)	320
Shred size (mm)	2x30, 3x30
Sheet capacity (A4,75g)	23~25, 30~32
Bin capacity (L)	100
motor(HP)	1/2



## 14. RS-6220FNH

Entry width (mm)	270
Shred size (mm)	4x30
Sheet capacity (A4,75g)	40~42
Bin capacity (L)	100
motor(HP)	1/2



## 15. RS-6330FNH

Entry width (mm)	320
Shred size (mm)	4x30
Sheet capacity (A4,75g)	40~42
Bin capacity (L)	100
motor(HP)	1/2



## 16. RS-6200FNC

Entry width (mm)	270
Shred size (mm)	1.2 X10
Sheet capacity (A4,75g)	10~12
Bin capacity (L)	100
motor(HP)	1/2



## 17. RS-6330FNC

Entry width (mm)	320
Shred size (mm)	1.2 X10
Sheet capacity (A4,75g)	10~12
Bin capacity (L)	100
motor(HP)	1/2



BINDTEC CO.,LTD.

#1011, 177 SAGIMAKGOL-RO JUNGWON-GU SEONGNAM-SI  
GYEONGGI-DO S.KOREA 13202  
TEL: +82 31- 734-2868 / FAX : +81 31- 734-2869  
Email: sales@bindtec.kr <http://www.bindtec.kr>